


RESISTANCE VALUES ARE IN OHMS
CAPACITANCE VALUES ARE IN MICROFARADS
INDUCTANCE VALUES ARE IN MICRONS
UNLESS OTHERWISE SPECIFIED

MODEL NO. QSK-5	PART NO. 50-QSK5-2-1	REVISION 0	SHEET 1 OF 2
IDENTIFIER AMERITRON QSK-5			
DIODE SWITCHING BOARD			
Revised by Greg Latta AA8V 02-05-2013			
DATE 5/13/91	REVISED 11/11/91	PC BOARD AOSKRG	MADE BY R. HANEY



To Amp In

From RF IN Via Rel.

To RF OUT L

H Filter Amp Out

+12V

To RLY Connector

P/N
© 1994


DD

CM 91M
KPS

RCB 175
10R3
AF832

M 2
100

OK



om NE IN
ia Relat

CM
.01M
Z5U
1KV

C3


LP1

LP2

C4

P2

P2



To Amp In

From RF IN
Via Rel


GM
01M


C3

C4

R2

R1





C12

C13
.005M

C14

C15
.005M
Z511

D7

D8

D9

D10

23

24

25


26

23

24

6

15



R28

D5

R1

K30

D6

Q1

R5

E C

R6

R8

R9

R10

HV

Q4

E C B

C8

C6

C7

E C B

D


to RLY
Connector

R32

C18

Q5

C19



AA 2N
3904
ERCK

R19

+

C27

D

Q6

OK

K13

4

15

7

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50