











BANDSWITCH














- K1 AF Control
- K2 RF Control
- R3 AF Notch Control
- R4 Mic Gain Control
- R5 ALC Adjust
- R6 Dial Set Control
- R7 R.I.T. Control
- R8 47K (Mic. Rear Jack)
- R9 22K (Reflectometer)
- K10,11,12 1K (Ext. Ant.)
- R13 6.2 ohm 10 W. (OD Reg.)
- R14 15K 5% 1 watt
- R15 47K 5% 1 watt
- R16 270 5% 1 watt
- R17 6,17,18,21 10 5% 1 watt
- R19 100 5% 1 watt
- R20 2.7K 5% 1 watt
- R22,24,28 1K 5% 1 watt
- R23 470 5% 1 watt
- R25 470 5% 1 watt
- L1,2,3 Toroid RFC
- L4,5,6 33 uH RFC
- L7 VFO coil
- D1 8A182 Diode
- D2 1N3401 Diode
- D3 1N4005 Diode
- F1 50A Med. Acting
- F2 3A Slo-blo
- J1 Reg.
- J2A MIC (Rear)
- J2B MIC (Front)
- J3 Key
- J4 Speaker
- J5 Counter
- J6 Lin. Amp.
- J7 PTT
- J8 +14V
- J9 R Line
- J10 T Line
- R26,27 4.7K 5% 1 watt
- R29 4.7 5% 1 watt
- R30 50 Trimpot
- C1 Preset Selector Tuning
- C2,3,4,5,8,9,10,11,12,13,14,15,18,19,20,26,27,28,34,37,38 .001 Feed-thru
- C6,7 .47 mF 80V Mylar
- C16,17 .1 mF 80V Mylar
- C21,22,36 .1 mF 50V 20% Disc
- C23 .22 mF 50V Mylar
- C24 470 pF FS 10% Disc
- C25 .01 mF 100V Disc
- C29,30 9.57 pF VFO Tuning
- C31 27 pF N330 5% Disc
- C32 15 pF N220 5% Disc
- C33 15 pF N330 5% Disc
- C35 22 mF 16V Tantalum
- C39 220 mF 25V Electrolytic
- LD1 Red L.E.D.
- LD2 Green L.E.D.
- LD3 Yellow L.E.D.
- LD4 R.I.T. L.E.D.
- B1,2 Dial Lamp 14V
- B3 Meter Lamp 14V
- M1 Meter
- J11 Aux. Rec.
- J12 Ext. Ant.
- J13 VFO Out
- J14 Driver Out
- J15 Antenna
- J16 Aux. Osc.
- J17 DD6 Conn.
- J18 Low-pass In
- P1 +14V HI
- P2 +14V LO
- P3 F. Amp In
- P4 Aux. Osc. In
- P5 P. Amp Out