

HALLICRAFTERS TRANSFORMER SPECIFICATIONS

HALLICRAFTERS FPM-300-MKII

POWER TRANSFORMER

CORE) EI-150 X 2.5 STYLE #) 06 E-I LAMINATED CORE

PR) PRI "1" 117/234 PRI "2" 18.7 VCT

S1) 215 VAC @ 250MA

S2) 320 VAC @ 250MA

S3) 12 VAC @ 1A

S4) 6.3-0-103 VAC @ 4A-0-100MA

DM) HT = 3.688 WT = 4.500 DT = 3.750 MD = 3.000 MW = 3.750

PRICE) \$270.00 Plus S&H FOB Buffalo, NY WEIGHT) 12 LBS

=====

HALLICRAFTERS HT-30 POWER

POWER XFMR FOR HT-30 MARK I EXCITER

CORE) EI-150 X 2.5" 29GAM6 STYLE #) 06 E-I LAMINATED CORE

PR) 117 VAC 60 HZ 1 PH

S1) 490-360-0-75-360-490 VAC @ 0.25A CCS

S2) 5 VAC @ 3A CCS

S3) 5 VAC @ 3A CCS

S4) 6.3 VAC @ 6A CCS

DM) HT = 3.688 WT = 4.500 DT = 3.750 MD = 3.000 MW = 3.750

PRICE) \$330.00 Plus S&H FOB Buffalo, NY WEIGHT) 12 LBS

=====

HALLICRAFTERS HT-32 DC CHOKE

L-25, P/N 056-300259

CORE) EI-087 X 1 STYLE #) 01 E-I LAMINATED CORE

PR) 9.0 HY @ 135 MA DC

DM) HT = 2.188 WT = 2.625 DT = 2.103 MD = 2.000 MW = 2.188

PRICE) \$165.00 Plus S&H FOB Buffalo, NY WEIGHT) 2 LBS

HALLICRAFTERS HT-32 MARK I
T4 MAIN POWER TRANSFORMER
CORE) EI-175 X 3 STYLE #) 06 E-I LAMINATED CORE
PR) 117 VAC 60 HZ

S1) 880-270-90-0-270-880 VAC @ 300MA CCS

S2) 6.3 VAC @ 11A CCS

S3) 5.0 VAC @ 3A CCS

S4) 5.0 VAC @ 3A CCS

DM) HT = 4.250 WT = 5.250 DT = 4.375 MD = 3.500 MW = 4.375
PRICE) \$310.00 Plus S&H FOB Buffalo, NY WEIGHT) 19 LBS

=====

HALLICRAFTERS HT-32A POWER
MAIN POWER TRANSFORMER T4
CORE) EI-175 X 3 29G M-6 STYLE #) 06 E-I LAMINATED CORE
PR) 117 VAC 60 HZ

S1) 880-270-140-0-270-880 VAC @ 300MA CCS

S2) 6.3 VAC @ 11A CCS

S3) 5.0 VAC @ 3A CCS

S4) 5.0 VAC @ 3A CCS

DM) HT = 4.250 WT = 5.250 DT = 4.375 MD = 3.500 MW = 4.375
PRICE) \$310.00 Plus S&H FOB Buffalo, NY WEIGHT) 19 LBS

=====

HALLICRAFTERS HT-32B POWER
MAIN POWER TRANSFORMER T103
CORE) EI-175 X 3 STYLE #) 06 E-I LAMINATED CORE
PR) 0-75-117 VAC 60 HZ

S1) 880-270-140-0-270-880 VAC @ 300MA CCS

S2) 6.3 VAC @ 11A CCS

S3) 5.0 VAC @ 3A CCS

S4) 5.0 VAC @ 3A CCS

DM) HT = 4.250 WT = 5.250 DT = 4.375 MD = 3.500 MW = 4.375
PRICE) \$310.00 Plus S&H FOB Buffalo, NY WEIGHT) 19 LBS

=====

HALLICRAFTERS HT-33 SPECIAL

CORE) EI-212 X 4 STYLE #) 04 E-I LAMINATED CORE

PR) 120 VAC 60 HZ 1PH

S1) 4500 VCT @ 500MA CCS

DM) HT = 6.375 WT = 5.313 DT = 6.678 MD = 5.250 MW = 4.250

PRICE) \$425.00 Plus S&H FOB Buffalo, NY WEIGHT) 38 LBS

=====

HALLICRAFTERS HT-33A PLATE

REPLACEMENT (2700 VDC FOR PL-172)

CORE) EI-212 X 4.625 STYLE #) 04 E-I LAMINATED CORE

PR) 120 VAC 60 HZ 1 PH

S1) 6000 VCT @ 0.350A CCS (FWCT LC RECT)

DM) HT = 6.375 WT = 5.313 DT = 7.303 MD = 5.750 MW = 4.250

PRICE) \$460.00 Plus S&H FOB Buffalo, NY WEIGHT) 43 LBS

=====

HALLICRAFTERS HT-33A/B FIL

HT-33A OR HT-33B FILAMENT TRANSFORMER

CORE) EI-137 X 1.375 STYLE #) 05 E-I LAMINATED CORE

PR) 120 VAC 60 HZ 1 PH

S1) 350 VCT @ 100MA CCS

S2) 6.0 VAC @ 7.8A CCS

S3) 2.5 VAC @ 10A CCS (10 KVDC INS)

DM) HT = 4.125 WT = 3.438 DT = 3.750 MD = 2.375 MW = 2.750

PRICE) \$190.00 Plus S&H FOB Buffalo, NY WEIGHT) 6 LBS

=====

HALLICRAFTERS HT-33B CHOKE

SWINGING CHOKE FOR HV POWER SUPPLY (L3)

CORE) EI-175 X 2.5 STYLE #) 05 E-I LAMINATED CORE

PR) 55 HY @ 0.050A TO 8 HY @ 0.4A DC

DM) HT = 5.250 WT = 4.375 DT = 4.705 MD = 3.625 MW = 3.500

PRICE) \$280.00 Plus S&H FOB Buffalo, NY WEIGHT) 17 LBS

=====

HALLICRAFTERS HT-33B PLATE
REPLACEMENT (2700 VDC FOR PL-172)
CORE) EI-212 X 4.625 STYLE #) 04 E-I LAMINATED CORE
PR) 120 VAC 60 HZ 1 PH

S1) 6000 VCT @ 0.350A CCS (FWCT LC RECT)

DM) HT = 6.375 WT = 5.313 DT = 7.303 MD = 5.750 MW = 4.250
PRICE) \$460.00 Plus S&H FOB Buffalo, NY WEIGHT) 43 LBS

=====

HALLICRAFTERS HT-33B PLATE I
REPLACEMENT (2700 VDC FOR PL-172)
CORE) EI-212 X 4.625 STYLE #) 04 E-I LAMINATED CORE
PR) 120/240 VAC 60 HZ 1 PH

S1) 6000 VCT @ 0.350A CCS (FWCT LC RECT)

DM) HT = 6.375 WT = 5.313 DT = 7.303 MD = 5.750 MW = 4.250
PRICE) \$460.00 Plus S&H FOB Buffalo, NY WEIGHT) 43 LBS

=====

HALLICRAFTERS HT-37 POWER
MAIN POWER TRANSFORMER
CORE) EI-175 X 3 STYLE #) 06 E-I LAMINATED CORE
PR) 0-75-117 VAC 60 HZ

S1) 880-270-140-0-270-880 VAC @ 300MA CCS

S2) 6.3 VAC @ 11A CCS

S3) 5.0 VAC @ 3A CCS

S4) 5.0 VAC @ 3A CCS

DM) HT = 4.250 WT = 5.250 DT = 4.375 MD = 3.500 MW = 4.375
PRICE) \$310.00 Plus S&H FOB Buffalo, NY WEIGHT) 19 LBS

=====

HALLICRAFTERS HT-41 PLATE
1800 VDC @ 400 MA CCS FROM FWCT RECT
CORE) EI-212 X 4 STYLE #) 02 E-I LAMINATED CORE
PR) 117 VAC 60 HZ 1 PH

S1) 4200 VCT @ 400MA CCS (FWCT)

DM) HT = 5.312 WT = 6.375 DT = 6.678 MD = 5.250 MW = 5.312
PRICE) \$430.00 Plus S&H FOB Buffalo, NY WEIGHT) 38 LBS

=====

HALLICRAFTERS HT-41 SWG CHOK
SWINGING CHOKE
CORE) EI-150 X 2.5" 29GM6X STYLE #) 05 E-I LAMINATED CORE
PR) 25 HY @ 50 MA TO 5 HY @ 450 MA DC

DM) HT = 4.500 WT = 3.750 DT = 4.875 MD = 3.500 MW = 3.000
PRICE) \$270.00 Plus S&H FOB Buffalo, NY WEIGHT) 12 LBS

=====

HALLICRAFTERS HT-45 BRIDGE

CORE) A-516 C-CORE STYLE #) 09 HIPERSIL C-CORE
PR) 115/230 VAC 60 HZ 1PH

S1) 3500 VRMS @ 0.5A CCS

DM) HT = 8.375 WT = 6.578 DT = 5.625 MD = 4.500 MW = 6.000
PRICE) *CALL or e-mail* Plus S&H FOB Buffalo, NY WEIGHT) 33 LBS

=====

HALLICRAFTERS HT-45 CHOKE

HT-45 MARK II-A SWINGING CHOKE (L1)

CORE) EI-150 X 2 STYLE #) 04 E-I LAMINATED CORE
PR) 16 HY @ 50 MA TO 4 HY @ 350 MA DC

DM) HT = 4.500 WT = 3.750 DT = 3.890 MD = 3.000 MW = 3.000
PRICE) \$215.00 Plus S&H FOB Buffalo, NY WEIGHT) 10 LBS

=====

HALLICRAFTERS HT-45 PLATE

TO PRODUCE 2700 VDC @ 400 MA CCS

CORE) A-516 C-CORE STYLE #) 09 HIPERSIL C-CORE
PR) 120/240 VAC 60 HZ 1 PH

S1) 6000 VCT @ 400 MA CCS (FWCT)

DM) HT = 8.375 WT = 6.578 DT = 5.625 MD = 4.500 MW = 6.000
PRICE) *CALL or e-mail* Plus S&H FOB Buffalo, NY WEIGHT) 33 LBS

=====

HALLICRAFTERS P-20A PLATE

CORE) EI-212 X 3.5 STYLE #) 05 E-I LAMINATED CORE
PR) 115 VAC 60 HZ -STATIC SHIELD-

S1) 3300 VCT @ 350MA DC

DM) HT = 6.375 WT = 5.313 DT = 6.178 MD = 4.750 MW = 4.250
PRICE) \$415.00 Plus S&H FOB Buffalo, NY WEIGHT) 34 LBS

=====

HALLICRAFTERS P-20A POWER

CORE) EI-150 X 2 STYLE #) 02 E-I LAMINATED CORE
PR) 110/220 VAC 50/60 HZ W/+OR-10% BUCK

S1) 46 VCT @ 8A CCS 10% BUCK-BOOST

DM) HT = 3.750 WT = 4.500 DT = 3.890 MD = 3.000 MW = 3.750
PRICE) \$215.00 Plus S&H FOB Buffalo, NY WEIGHT) 10 LBS

=====

HALLICRAFTERS P-26 POWER

CORE) EI-175 X 2 STYLE #) 05 E-I LAMINATED CORE
PR) 117 VAC 60 HZ

S1) 860-230-0-130-230-860 @ 300MA

DM) HT = 5.250 WT = 4.375 DT = 4.205 MD = 3.125 MW = 3.500
PRICE) \$270.00 Plus S&H FOB Buffalo, NY WEIGHT) 14 LBS

=====

HALLICRAFTERS PS-150-120

POWER TRANSFORMER FOR HT-44 POWER SUPPLY

CORE) EI-175 X 2 STYLE #) 06 E-I LAMINATED CORE
PR) 117 VAC 60 HZ 1 PH

S1) 630 VCT @ 450 MA CCS

S2) 120 VAC @ 20 MA CCS

S3) 12.6 VAC @ 4.5A CCS

DM) HT = 4.125 WT = 5.250 DT = 4.375 MD = 3.500 MW = 4.375
PRICE) \$270.00 Plus S&H FOB Buffalo, NY WEIGHT) 14 LBS

=====

HALLICRAFTERS PS-500A-AC

POWER TRANSFORMER, T201

CORE) EI-175 X 2.5 STYLE #) 06 E-I LAMINATED CORE
PR) 117/234 VAC 60 HZ 1 PH

S1) 600 VCT @ 0.6A CCS

S2) 135 VAC @ 0.05A CCS

S3) 12.6 VAC @ 5.0A CCS

DM) HT = 3.750 WT = 5.250 DT = 4.375 MD = 3.500 MW = 4.375
PRICE) \$295.00 Plus S&H FOB Buffalo, NY WEIGHT) 17 LBS

=====

HALLICRAFTERS SR-2000 PLATE TRANSFORMER (PLATE & SCREEN) VOLTAGES
CORE) EI-175 X 4" 29G M6 STYLE #) 02 E-I LAMINATED CORE
PR) 117/234 VAC HI-LO TAPS 60 HZ 1PH

S1) 1080 VRMS @ 0.91 AMPS CCS

S2) 450 VRMS @ 0.070 AMPS CCS

DM) HT = 4.375 WT = 5.250 DT = 6.205 MD = 5.125 MW = 4.375
PRICE) \$350.00 Plus S&H FOB Buffalo, NY WEIGHT) 25 LBS
NON-STOCKED PART - HAMMOND Part Number: PWDP13022

=====

HALLICRAFTERS SR-2000 SCREEN
SCREEN CHOKE L301
CORE) EI-75 SQ. STYLE #) 1 E-I LAMINATED CORE
PR) 15 HY @ 100MA

DM) HT = 1.925 WT = 2.316 DT = 1.875 MD = 0.000 MW = 2.813
PRICE) \$200.00 Plus S&H FOB Buffalo, NY WEIGHT) 1 LBS

=====

HALLICRAFTERS SX-117 POWER
POWER XFMR FOR SX-117 RECEIVER
CORE) EI-100 X 1.25" 29GM6 STYLE #) 05 E-I LAMINATED CORE
PR) 120 VAC 60 HZ 1 PH

S1) 360 VCT @ 0.1A CCS

S2) 6.3 VAC @ 6A CCS

DM) HT = 3.000 WT = 2.500 DT = 2.875 MD = 2.250 MW = 2.000
PRICE) \$180.00 Plus S&H FOB Buffalo, NY WEIGHT) 3 LBS

=====

HALLICRAFTERS SX-28 AUDIO
AUDIO OUTPUT
CORE) EI-075 X .75 STYLE #) 01 E-I LAMINATED CORE
PR) 9K OHMS P-P

S1) 100/500/5000 OHMS

DM) HT = 1.955 WT = 2.330 DT = 1.575 MD = 0.000 MW = 2.813
PRICE) \$165.00 Plus S&H FOB Buffalo, NY WEIGHT) 1 LBS

HALLICRAFTERS SX-62A POWER
T30, MAIN POWER TRANSFORMER
CORE) EI-150 X 2 STYLE #) 06 E-I LAMINATED CORE
PR) 117 VAC 60 HZ 1 PH

S1) 520 VCT @ 0.3A CCS

S2) 5.0 VAC @ 3.0A CCS

S3) 6.3 VAC @ 8.0A CCS

DM) HT = 3.188 WT = 4.500 DT = 3.750 MD = 3.000 MW = 3.750
PRICE) \$215.00 Plus S&H FOB Buffalo, NY WEIGHT) 10 LBS